主產系統。創新機種、經營操作、簡單有效率

Dasin

- Production System
 - Latest Invension
- Easy to Operate
 - Simple and Efficient





Dasin

達鑫機械有限公司 DASIN MACHINERY CO., LTD.

No.30, Ln.168, Sec.1, Dunhuang Rd., Caotun Township, Nantou County 54257, Taiwan TEL: +886-49-2318-335 FAX: +886-49-2314-063 E-mail: info@dasin-tw.com

www.dasin-tw.com



















■ IMPORTANT Notes

Please read the user manual carefully before using this product and keep it for future reference.

△WARNING

- · Read all instructions.
- To protect against risk of electric shock, do not get the plug and socket wet from water and other liquid.
- Close supervision is necessary when any appliance is used near children. Never leave an appliance unattended when in use.
- . Do not put your fingers and any other foreign matters into the chute when the machine is working.
- Do not try to repair the damaged wire and plug or take the machine apart by yourself.Return appliance to the nearest authorized service provider for examination, repair, or adjustment.
- Any modification to the machine or use of other components which are not recommended or sold by original manufacturer may cause fire, electric shock, or injury.
- Do not use or place the machine under high temperature conditions. (Such as natural gas or electric burner or oven)
- . Do not let the wire hang over the edge of table or counter, it may cause danger.
- Please turn off the power after using, make sure the machine stops completely before disassembling.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.

SAFETY INSTRUCTIONS

ADANGER

- Use a standard 110-volt/220-volt outlet which is marked on the wire of plug.
- Please prepare a container for juice, and make sure the plastic cover is tightened.
- Press the "on button" to start the machine and press the "off button" until you finish using the
 machine or the container is filled up with juice, then replace the container and wash the machine.
- Using Scope: Kumquat, Lemon, Orange, Grapefruit, Citrus Fruit...

Please Save the User Manual


PRODUCT INTRODUCTION

1. Feature

- Our juicer is the latest invention and the patented machine. The gap between the rollers could be adjusted according to thickness of the peel. Therefore the peels and seeds will not be damaged and the juice will not taste bitter.
- Using four rollers to juice with very high efficiency, 35 halves of fruit for one minute, 130KG of kumquats for one hour.
- The cover is made from ABS plastic which has a good impact resistance. With beautiful outlook
 and low weight, the machine is very easy to clean and operate. It is safe and will never hurt your
 fingers.
- Using Scope: Kumquat, Lemon, Orange, Grapefruit, Citrus Fruit...

2. Specification

Model No	JH100
Product Dimensions	33/34/50cm
Horsepower	1/8HP (100W)
Power Supply	110V or 220V
Hertz	50/60
Product Weight	20Kg / 45 LBS
Output	35 halves /min
Size of Fruit	10mm to 110mm (Diameter)



4. Machine Operations



 The fruit need to be cut into halves before putting into the juicer.(FIG 1.)



Peels Outlet
 Use a container
 to collect juice.
 Please fill up the
 entrance when

juicing kumquats.



5.Using Knob A to adjust the gap between rollers B.(Rotate right to reduce and rotate left to stretch)(FIG 3.)



6.The two rollers will be adjusted at the same time. (FIG 4.)



7. The gap between the parallel rollers could be adjusted by rotating the green knob. (FIG 5.)

METHODS AND TECHNIQUES FOR CUTTING FRUIT



Firstly, cut off the head and bottom of lemons to make sure there are less impurities in juice.



Cut fruit into halves. For lemons with hard peel, cut from the bottom, which could improve the effitiency.



For oranges, scratch the peels lightly to prevent the peels' oil from squeezing out, which will also make the juiced lemons drier! Besides, the juice will be less bitter.

CLEANING



1.Make sure the power is off before taking down the plastic cover. (FIG 1)



1.Wash the machine with clean water after taking down the four rollers. (FIG.2)

皿 產品特色

- ★最新發明、專利機種,可依水果皮厚薄調整滾輪榨汁間隙,所以不易傷皮跟籽,才可確保汁質優良不會有皮跟籽的苦澀味道
- ★採用4軸式榨汁法,效率更高,每分鐘約35顆,金桔可達每小時榨汁130KG
- ★本機採用耐衝擊性佳的塑膠(ABS)外殼包覆,兼具美觀、重量輕、清洗方便且 操作簡單安全不夾手
- ★壓汁果類可達四種: 金桔、檸檬 、柳丁、葡萄柚及柑橘類···

■ 重要事項

在使用本產品前,請先仔細閱讀本使用手冊,並保留說明以供日後參考。

企警示

- 請閱讀所有的指示。
- 為防觸電的危險不要把電線插頭或插座弄濕或沾液體。
- 機台在使用上應注意附近的兒童,必須嚴格監督,不應離開在無人看管的情況下使用。
- ·機台運轉時請勿將手及讓異物進入。
- 不要自行試著修復損壞的電線或插頭,或是自行開設備維修。請找最近的授權服務商店檢查、修理或調整。
- 任意修改或裝上非本機的附件都可能會導致火災,觸電或傷害。
- ·不要在會產生高溫的地方放置或使用(如天然氣、電力燃燒或加熱烤箱)
- 不要讓電線懸掛在桌子邊緣或櫃檯,容易產生危險
- · 每次使用後請關閉電源,確保機器完全停之前才可知。
- 本產品不適合供下列人士(包括小孩)使用:身體官能或心智能力退化者,或是經驗與使用知識缺乏者。

他們需要有負責其安全的人員在旁監督,或指示產品的使用方法,方可使用。

Ⅲ 安全指示說明

- · 使用插頭電源線標示的110V/220V電源插座。
- · 請準備果汁容器收集果汁,並確定透明膠蓋開關是否扣緊。
- ·按下"開關"按鈕,您結束使用機台或果汁容器滿了,按下"關"按鈕,才 更換容器或清洗。
- · 產品使用範圍種類:金桔、檸檬、柳丁、葡萄柚、柑橘類…

請保存此說明書


皿 產品介紹

1.產品規格

產品型號	JH100
產品尺寸(長/寬/高)	33/34/50公分
馬力	1/8HP (100W)
使用電壓	110V或220V
頻率	50/60
產品重量	20公斤/45磅
速度	每分鐘35次(半顆)
水果直徑	1-11公分

(電壓依實際出貨使用)

2.產品部位說明



■ 產品使用示意圖



柳丁、檸檬
 葡萄柚需剖

半然後放入。



2.果皮出口方向。 3.果汁出口方向請使用 容器收集。

4.金桔榨汁請倒滿入口 。如(屬二)



調整旋鈕A來微調B之 距離(旋鈕調整右轉為 縮小問題。左轉為放



6.調整時注意 滾輪之平時度 ,須同時做調 整。



7.調整綠色旋鈕 可使AB距離直接 平行調整。

Ⅲ 水果切開之方法和技巧



先把頭尾蒂頭切掉(可 使果汁較不會有雜質)



將水果切半,檸檬的話因 本身較硬建議從蒂頭方向 切半,可以增加榨汁效率。




柳丁建議可以在果皮上再劃一刀,可使果皮之油質更不易出來,一方面榨汁可以更乾! 另一方面果汁會更不易出現苦澀味。

Ⅲ 清洗方式說明



1.請務必將電源關 閉後再將透明蓋 子打開(圖一)



 將滾輪取出後放入 清洗容器使用清水 沖洗,機台榨汁部 可使用小水淋洗。

简 产品特色

- ★最新发明、专利机种,可依水果皮厚薄调整滚轮榨汁间隙,所以不易伤皮跟籽 , 才可确保汁质优良不会有皮跟籽的苦涩味道
- ★采用4轴式榨汁法,效率更高,每分钟约35颗,金桔可达每小时榨汁130KG
- ★本机采用耐冲击性佳的塑胶(ABS)外壳包覆,兼具美观、重量轻、清洗方便且 操作简单安全不夹手
- ★压汁果类可达四种:金桔、柠檬、柳丁、葡萄柚及柑橘类…

圖重要事功

在使用本产品前, 请先仔细阅读本使用手册, 并保留说明以供日後参考。

△警示

- 请阅读所有的指示。
- 为防触电的危险不要把电线插头或插座弄湿或沾液体。
- 机台在使用上应注意附近的儿童、必须严格监督、不应离开在无人看管的情况 下使用。
- 机台运转时请勿将手及让异物进入。
- 不要自行试着修复损坏的电线或插头, 或是自行开设备维修。请找最近的授权 服务商店检查、修理或调整。
- 任意修改或装上非本机的附件都可能会导致火灾, 触电或伤害。
- 不要在会产生高温的地方放置或使用(如天然气、电力燃烧或加热烤箱)
- 不要让电线悬挂在桌子边缘或柜台, 容易产生危险
- 每次使用後请关闭电源, 确保机器完全停之前才可卸。
- 本产品不适合供下列人士(包括小孩)使用:身体官能或心智能力退化者. 或是经验与使用知识缺乏者。

他们需要有负责其安全的人员在旁监督,或指示产品的使用方法,方可使用。

圖 安全指示说明

- · 使用插头电源线标示的110V/220V电源插座。
- 请准备果汁容器收集果汁,并确定透明胶盖开关是否扣紧。
- •按下"开关"按钮,您结束使用机台或果汁容器满了,按下"关"按钮,才 更换容器或清洗。
- 产品使用范围种类: 金桔、柠檬、柳丁、葡萄柚、柑橘类…

请保存此说明书

◎ 产品介绍

1.产品规格

产品型号	JH100
产品尺寸(长/宽/高)	33/34/50公分
马力	1/8HP (100W)
使用电压	110V或220V
频率	50/60
产品重量	20公斤/45磅
速度	每分钟35次(半颗)
水果直径	1-11公分

(电压依实际出货使用)

2.产品部位说明



简 产品使用示意图



1.柳丁、柠檬 、葡萄柚雲剖 半然後放入。



3.果汁出口方向请使用 容器收集。

2.果皮出口方向。

4.金桔榨汁请倒满入口

。如(图二)



5.因果皮厚度不同可 调整旋钮A来微调B之 距离(旋钮调整右转为 缩小间距。左转为放



6.调整时注意 滚轮之平时度 , 须同时做调



7.调整绿色旋钮 可使AB距离直接 平行调整

圖 水果切开之方法和技巧



先把头尾蒂头切掉(可 使果汁较不会有杂质)



将水果切半, 柠檬的话因 本身较硬建议从蒂头方向 切半,可以增加榨汁效率。



柳丁建议可以在果皮上再划一刀, 可使果皮之油质更不易出来,一方 面榨汁可以更乾!

另一方面果汁会更不易出现苦涩味。

圖 清洗方式说明



1.请务必将电源关 闭後再将透明盖 子打开(图一)



1.将滚轮取出後放入 清洗容器使用清水 冲洗, 机台榨汁部 可使用小水淋洗。